

SUS304 TPA

溶接管

外径	厚さ	長さ
4.0	× 1.0	× 4000
6.0	× 0.5	× 4000
	× 1.0	× 4000
7.0	× 1.0	× 4000
8.0	× 0.5	× 4000
	× 1.0	× 4000
	× 1.5	× 4000
9.0	× 1.0	× 4000
10.0	× 0.5	× 4000
	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
10.5	× 1.0	× 4000
	× 1.2	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
12.0	× 0.5	× 4000
	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
13.8	× 1.2	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
	× 2.2	× 4000
	× 2.5	× 4000
	× 3.0	× 4000
14.0	× 1.0	× 4000
15.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
16.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000

外径	厚さ	長さ
17.3	× 1.5	× 4000
	× 1.5	× 6000
	× 2.0	× 4000
	× 2.0	× 6000
	× 2.5	× 4000
	× 2.5	× 6000
	× 3.0	× 4000
19.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
20.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
21.7	× 1.5	× 4000
	× 1.5	× 6000
	× 2.0	× 4000
	× 2.0	× 6000
	× 2.5	× 4000
	× 2.5	× 6000
	× 3.0	× 6000
25.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
25.4	× 1.5	× 4000
	× 2.0	× 4000
	× 3.0	× 4000
27.2	× 1.5	× 4000
	× 1.5	× 6000
	× 2.0	× 4000
	× 2.0	× 6000
	× 2.5	× 4000
	× 2.5	× 6000
	× 3.0	× 4000
	× 3.0	× 6000
30.0	× 1.5	× 4000
	× 2.0	× 4000
	× 3.0	× 4000

外径	厚さ	長さ
32.0	× 1.5	× 4000
	× 2.0	× 4000
	× 3.0	× 4000
34.0	× 1.5	× 4000
	× 1.5	× 6000
	× 2.0	× 4000
	× 2.0	× 6000
	× 2.5	× 4000
	× 2.5	× 6000
	× 3.0	× 4000
	× 3.0	× 6000
	× 3.5	× 4000
	× 3.5	× 6000
	× 4.0	× 4000
× 4.0	× 6000	
× 4.5	× 4000	
× 4.5	× 6000	
38.0	× 1.5	× 4000
	× 2.0	× 4000
	× 3.0	× 4000
42.7	× 1.5	× 4000
	× 1.5	× 6000
	× 2.0	× 4000
	× 2.0	× 6000
	× 3.0	× 4000
	× 3.0	× 6000
	× 3.5	× 4000
	× 3.5	× 6000
	× 4.0	× 4000
	× 4.0	× 6000
48.6	× 1.5	× 4000
	× 2.0	× 4000
	× 2.0	× 6000
	× 3.0	× 4000
	× 3.0	× 6000
	× 3.5	× 4000
	× 3.5	× 6000
× 4.0	× 4000	
× 4.0	× 6000	
× 5.1	× 4000	
× 5.1	× 6000	

外径		厚さ		長さ
50.8	×	1.5	×	4000
		2.0		4000
		3.0		4000
60.5	×	1.5	×	4000
		2.0		4000
		2.0		6000
		3.0		4000
		3.0		6000
		3.5		4000
		3.5		6000
		4.0		4000
		4.0		6000
		5.0		4000
		5.5		4000
5.5	6000			
63.5	×	2.0	×	4000
76.3	×	1.5	×	4000
		2.0		4000
		2.0		6000
		3.0		4000
		3.0		6000
		3.5		4000
		3.5		6000
		4.0		4000
		4.0		6000
		5.0		4000
		5.0		6000
		5.2		4000
		5.2		6000
		7.0		4000
7.0	6000			
89.1	×	2.0	×	4000
		2.0		6000
		3.0		4000
		3.0		6000
		4.0		4000
		4.0		6000
		5.0		4000
		5.5		4000
		5.5		6000
		7.6		4000
		7.6		6000

外径		厚さ		長さ
101.6	×	2.0	×	4000
		2.0		6000
		3.0		4000
		3.0		6000
		4.0		4000
		4.0		6000
		5.7		4000
		5.7		6000
		6.0		4000
		6.0		6000
		8.1		4000
		8.1		6000
		114.3		×
2.0	6000			
3.0	4000			
3.0	6000			
4.0	4000			
4.0	6000			
5.0	4000			
5.0	6000			
6.0	4000			
6.0	6000			
8.6	4000			
8.6	6000			
139.8	×	2.0	×	4000
		3.0		4000
		3.0		6000
		3.5		4000
		3.5		6000
		4.0		4000
		4.0		6000
		5.0		4000
		5.0		6000
		6.6		4000
		6.6		6000
9.5	4000			
9.5	6000			
165.2	×	3.0	×	4000
		3.0		6000
		3.5		4000
		3.5		6000
		4.0		4000
		4.0		6000

外径		厚さ		長さ
165.2	×	4.0	×	6000
		5.0		4000
		5.0		6000
		7.1		4000
		7.1		6000
		11.0		4000
		11.0		6000
190.7	×	3.0	×	4000
		4.0		4000
		6.0		4000
216.3	×	3.0	×	4000
		3.0		6000
		4.0		4000
		4.0		6000
		5.0		4000
		5.0		6000
		6.0		4000
		6.5		4000
		6.5		6000
		8.2		4000
		8.2		6000
		12.7		4000
		12.7		6000
		18.2		6000
23.0	6000			
267.4	×	3.0	×	4000
		3.0		6000
		3.5		4000
		3.5		6000
		4.0		4000
		4.0		6000
		5.0		4000
		5.0		6000
		6.5		4000
		6.5		6000
		9.3		4000
		9.3		6000
		15.1		4000
15.1	6000			
21.4	4000			
21.4	6000			
28.6	4000			

