

ステンレス形鋼(フラットバー)

サイズ	長さ	SUS304				
		HOT	COLD	HL	#400	
2 ×	6	2000	-	○	-	-
	8	2000	-	○	-	-
		3000	-	○	-	-
	9	2000	-	○	-	-
		3000	-	○	-	-
	10	2000	-	○	-	-
		3000	-	○	-	-
	10	3000	-	○	-	-
		4000	○	○	○	-
	12	2000	-	○	-	-
		3000	○	○	○	-
	15	2000	○	○	○	-
		3000	○	○	○	-
	20	2000	○	○	○	-
		3000	○	○	○	-
	25	2000	○	○	○	-
3000		○	○	○	-	
30	2000	○	○	○	-	
	3000	○	○	○	-	
32	2000	○	○	○	-	
	3000	○	-	-	-	
35	2000	○	-	-	-	
	3000	○	○	-	-	
40	2000	○	○	○	-	
	3000	○	○	○	-	
45	2000	○	○	○	-	
	3000	○	○	○	-	
50	2000	○	○	○	-	
	3000	○	○	○	-	
3 ×	3	2000	-	○	-	-
	5	3000	-	○	-	-
		4000	-	○	-	-
	6	3000	-	○	-	-
		4000	-	○	-	-
	7	3000	-	○	-	-
		4000	-	○	-	-
	8	3000	-	○	-	-
		4000	-	○	-	-
	9	3000	-	○	-	-
		4000	-	○	-	-
	10	2000	○	○	○	-
		3000	○	○	○	-
	12	2000	○	○	○	-
		3000	○	○	○	-
	13	2000	○	○	○	-
		3000	○	○	○	○
	15	2000	○	○	○	○
		3000	○	○	○	-
	16	2000	○	○	○	-
		3000	○	○	○	-
	19	2000	○	○	○	-
		3000	○	○	○	○
	20	2000	○	○	○	○
		3000	○	○	○	-
	22	2000	○	○	○	-
		3000	○	○	○	○
	25	2000	○	○	○	○
		3000	○	○	○	-
	30	2000	○	○	○	○
		3000	○	○	○	○
	32	2000	○	○	○	○
3000		○	○	○	-	
35	2000	○	○	○	○	
	3000	○	○	○	○	
40	2000	○	○	○	○	
	3000	○	○	○	○	
42	2000	-	○	○	-	
	3000	○	○	○	-	
45	2000	-	○	○	-	
	3000	○	○	○	-	
48	2000	-	○	○	-	
	3000	○	○	○	○	
50	2000	○	○	○	○	
	3000	○	○	○	○	
60	2000	○	○	○	○	
	3000	○	○	○	-	
65	2000	○	○	○	-	
	3000	○	○	○	-	
75	2000	○	○	○	-	
	3000	-	○	○	-	
90	2000	-	○	○	-	
	3000	○	○	○	○	
100	2000	-	○	-	-	
	3000	-	○	-	-	
110	2000	-	○	-	-	
	3000	-	○	-	-	
120	2000	-	○	-	-	
	3000	-	○	-	-	
125	2000	-	○	-	-	
	3000	-	○	-	-	
130	2000	-	○	-	-	
	3000	-	○	-	-	
140	2000	-	○	-	-	
	3000	-	○	-	-	
150	2000	-	○	-	-	
	3000	-	○	-	-	

サイズ	長さ	SUS304				
		HOT	COLD	HL	#400	
4 ×	4	4000	-	○	-	-
	9	4000	-	○	○	-
		3000	-	○	○	-
	10	4000	-	○	○	-
		3000	-	○	○	-
	11	4000	○	○	○	-
		3000	-	○	-	-
	12	4000	-	○	-	-
		3000	○	○	○	-
	13	4000	○	○	○	-
		3000	○	○	○	○
	15	4000	○	○	○	○
		3000	○	○	○	-
	16	4000	○	○	○	-
		3000	○	○	○	-
	17	4000	○	○	○	-
		3000	○	○	○	-
	19	4000	○	○	○	-
		3000	○	○	○	○
	20	4000	○	○	○	○
3000		○	○	○	-	
22	4000	○	○	○	-	
	3000	○	○	○	○	
25	4000	○	○	○	○	
	3000	○	○	○	○	
30	4000	○	○	○	○	
	3000	○	○	○	○	
32	4000	○	○	○	○	
	3000	○	○	○	-	
35	4000	○	○	○	-	
	3000	○	○	○	○	
38	4000	○	○	○	○	
	3000	○	○	○	○	
40	4000	○	○	○	○	
	3000	○	○	○	-	
45	4000	○	○	○	-	
	3000	○	○	○	○	
38	4000	○	○	○	○	
	3000	○	○	○	○	
40	4000	○	○	○	○	
	3000	○	○	○	○	
45	4000	○	○	○	-	
	3000	○	○	○	-	
60	4000	○	○	○	-	
	3000	○	○	○	-	
65	4000	○	○	○	○	
	3000	○	○	○	○	
75	4000	○	○	○	○	
	3000	○	○	○	○	
90	4000	-	○	○	-	
	3000	○	○	○	-	
100	4000	○	○	○	-	
	3000	○	○	○	-	
5 ×	5	4000	-	○	○	-
	8	4000	-	○	-	-
		3000	-	○	-	-
	9	4000	-	○	-	-
		3000	-	○	-	-
	10	4000	-	○	○	-
		3000	-	○	○	-
	12	4000	-	○	○	-
		3000	-	○	○	-
	13	4000	-	○	○	-
		3000	-	○	○	-
	15	4000	○	○	○	○
		3000	-	○	○	-
	16	4000	-	○	○	-
		3000	○	○	○	-
19	4000	○	○	○	-	
	3000	○	○	○	○	
20	4000	○	○	○	○	
	3000	○	○	○	○	
22	4000	○	○	○	○	
	3000	○	○	○	○	
25	4000	○	○	○	○	
	3000	○	○	○	○	
30	4000	○	○	○	○	
	3000	○	○	○	○	
32	4000	○	○	○	○	
	3000	○	○	○	-	
35	4000	○	○	○	-	
	3000	○	○	○	○	
38	4000	○	○	○	○	
	3000	○	○	○	○	
40	4000	○	○	○	○	
	3000	○	○	○	○	
45	4000	○	-	-	-	
	3000	○	○	○	○	
50	4000	○	○	○	○	
	3000	○	○	○	-	
60	4000	○	○	○	-	
	3000	○	○	○	-	
65	4000	○	○	○	-	
	3000	○	○	○	-	
75	4000	○	○	○	-	
	3000	○	○	○	-	
90	4000	○	○	○	-	
	3000	○	○	○	-	
100	4000	○	○	○	-	
	3000	-	○	-	-	
130	4000	-	○	-	-	
	3000	-	○	-	-	
150	4000	-	○	○	-	
	3000	-	○	○	-	
6 ×	6	4000	-	○	○	-
	9	4000	-	○	-	-
		3000	-	○	○	-
	10	4000	-	○	○	-
		3000	-	○	○	-
	12	4000	-	○	○	-
3000		-	○	○	-	
13	4000	-	○	○	-	
	3000	○	○	○	○	

ステンレス形鋼(フラットバー)

304フラットバー

FB (HOT・COLD・IL・#400)

サイズ	長さ	SUS304				
		HOT	COLD	HL	#400	
6 ×	16	4000	-	○	○	-
	18	"	-	○	○	-
	19	"	○	○	○	-
	20	"	○	○	○	○
	22	"	○	○	○	-
	25	4000	○	○	○	○
	25	5000	○	-	-	-
	25	6000	○	-	-	-
	30	4000	○	○	-	○
	30	5000	○	-	-	-
	30	6000	○	-	-	-
	32	4000	○	○	-	○
	32	5000	○	-	-	-
	32	6000	○	-	-	-
	35	4000	○	○	-	-
	38	4000	○	○	-	○
	38	5000	○	-	-	-
	38	6000	○	-	-	-
	40	4000	○	○	-	○
	40	5000	○	-	-	-
	40	6000	○	-	-	-
	42	4000		○	○	-
	45	"	○	○	-	○
	48	"	○	○	-	
	50	4000	○	○	-	○
	50	5000	○	-	-	-
	50	6000	○	-	-	-
	60	4000	○	○	-	○
	65	4000	○	○	-	○
	65	5000	○	-	-	-
	65	6000	○	-	○	-
	70	4000	○	○	-	-
	75	4000	○	○	-	○
75	5000	○	-	-	-	
75	6000	○	-	○	-	
90	4000	○	○	○	-	
100	"	○	○	○	○	
100	5000	○	-	-	-	
100	6000	○	-	○	-	
110	4000	○	○	○	-	
120	"	○	○	○	-	
125	"	○	○	○	-	
130	"	○	○	○	-	
140	"	○	○	○	-	
150	"	○	○	○	-	
7 ×	7	"	-	○	○	-
	20	"	○	-	-	-
8 ×	8	"	-	○	○	○
	10	"	-	○	○	-
	16	"	-	○	○	-
	25	"	○	-	-	-
	30	"	○	-	-	-
	32	"	○	○	○	-
	35	"	○	-	-	-
	38	"	○	○	○	-
	40	"	○	-	-	-
	45	"	○	-	-	-

サイズ	長さ	SUS304				
		HOT	COLD	HL	#400	
8 ×	50	4000	○	○	○	-
	65	"	○	-	-	-
	75	"	○	-	-	-
	100	"	○	-	-	-
9 ×	9	"	-	○	○	○
	13	"	-	○	○	-
	15	"	-	○	○	-
	16	"	-	○	○	-
	19	"	-	○	○	-
	20	"	-	○	○	○
	22	"	-	○	○	-
	25	"	○	○	○	○
	25	6000	-	○	○	-
	30	4000	○	○	○	○
	30	6000	-	○	○	-
	32	4000	○	○	○	○
	32	5000	-	○	○	-
	32	6000	-	○	○	-
	35	4000	○	○	○	-
	38	"	○	○	○	○
	38	5000	○	-	-	-
	38	6000	○	○	○	-
	40	4000	○	○	○	○
	40	5000	○	-	-	-
	40	6000	○	○	-	-
	45	4000	○	○	-	-
	50	"	○	○	○	○
	50	5000	○	-	-	-
	50	6000	○	○	○	-
	55	4000	○	-	-	-
	60	"	○	○	○	-
	65	"	○	○	○	○
	65	5000	○	-	-	-
	65	6000	○	○	○	-
	75	4000	○	○	○	○
	75	5000	○	-	-	-
	75	6000	○	○	○	-
90	4000	○	-	-	-	
90	5000	○	-	-	-	
90	6000	○	-	-	-	
100	4000	○	○	○	-	
100	5000	○	-	-	-	
100	6000	○	○	○	-	
125	4000	○	○	○	-	
125	5000	○	-	-	-	
125	6000	○	-	-	-	
150	4000	○	○	○	-	
150	5000	○	-	-	-	
150	6000	○	-	-	-	
200	4000	○	○	○	-	
250	"	○	○	○	-	
300	"	○	○	-	-	
10 ×	10	"	○	○	○	○
	15	"	○	○	○	-
	19	"	○	○	○	-
	20	"	○	○	○	○
	25	"	○	○	○	○

ステンレス形鋼(フラットバー)

サイズ	長さ	SUS304					
		HOT	COLD	HL	#400		
10	×	30	4000	○	○	○	○
		32	"	○	○	○	○
		35	"	○	-	-	-
		38	"	○	○	○	○
		40	"	○	○	○	○
		45	"	○	-	-	-
		50	"	○	○	○	○
		50	5000	○	○	-	-
		50	6000	○	○	-	-
		60	4000	○	-	-	-
		65	4000	○	○	○	○
		65	6000	-	○	-	-
		75	4000	○	○	○	-
		75	6000	-	○	-	-
		100	4000	○	○	○	-
		100	5000	○	-	-	-
		100	6000	○	-	-	-
		125	4000	○	○	○	-
		150	"	○	○	○	-
		200	"	○	○	○	-
	250	"	○	○	○	-	
12	×	12	"	○	○	○	-
		14	"	-	○	-	-
		15	"	○	-	-	-
		16	"	-	○	○	-
		19	"	-	○	○	○
		20	"	○	○	○	○
		25	"	○	○	○	○
		25	6000	-	○	-	-
		30	4000	○	○	○	○
		30	6000	-	○	-	-
		32	4000	○	○	○	○
		32	6000	-	○	-	-
		35	4000	○	○	○	-
		38	"	○	○	○	○
		38	5000	○	-	-	-
		38	6000	-	○	○	-
		40	4000	○	○	○	○
		40	6000	-	○	○	-
		45	4000	○	-	-	-
		50	"	○	○	○	-
		50	5000	○	-	-	-
		50	6000	○	○	○	○
		65	4000	○	○	○	○
		65	5000	○	-	-	-
		65	6000	○	○	○	-
		70	4000	○	-	-	-
		75	"	○	○	○	○
		75	5000	○	-	-	-
		75	6000	○	○	○	-
		90	4000	○	○	○	-
		100	"	○	○	○	○
		100	5000	○	-	-	-
	100	6000	○	○	○	-	
	125	4000	○	○	○	-	
	125	5000	○	-	-	-	
	125	6000	○	○	○	-	

サイズ	長さ	SUS304					
		HOT	COLD	HL	#400		
12	×	150	4000	○	○	○	-
		150	5000	○	-	-	-
		150	6000	○	-	-	-
		200	4000	○	○	○	-
		250	"	○	○	○	-
		300	"	○	○	-	-
13	×	13	"	○	○	○	-
14	×	14	"	○	○	○	-
15	×	15	"	○	○	○	-
16	×	16	4000	○	○	○	○
		19	"	-	○	○	-
		20	"	○	○	○	○
		25	"	○	○	○	○
		30	"	○	-	-	-
		32	"	○	○	○	○
		35	"	○	-	-	-
		38	"	○	○	○	○
		40	"	○	○	○	-
		45	"	○	-	-	-
		50	"	○	○	○	○
		50	5000	○	-	-	-
		50	6000	○	○	-	-
		65	4000	○	○	○	-
		65	5000	○	-	-	-
		65	6000	○	○	-	-
		75	4000	○	○	○	-
		75	5000	○	-	-	-
		75	6000	○	○	-	-
		90	"	○	-	-	-
		100	4000	○	○	○	-
		100	5000	○	-	-	-
		100	6000	○	○	-	-
		125	4000	○	○	○	-
		125	5000	○	-	-	-
		125	6000	○	-	-	-
		150	4000	○	○	○	-
		150	5000	○	-	-	-
		150	6000	○	-	-	-
		200	4000	○	○	○	-
		250	"	○	○	○	-
		300	"	○	○	-	-
19	×	19	"	○	○	○	○
		25	"	○	○	○	○
		30	"	○	-	-	-
		32	"	○	○	○	○
		35	"	○	-	-	-
		38	"	○	○	○	○
		40	"	○	-	-	-
		45	"	○	-	-	-
		50	4000	○	○	○	-
		50	5000	○	-	-	-
		50	6000	○	-	-	-
		55	4000	○	-	-	-
		65	"	○	○	○	-
		65	5000	○	-	-	-
		65	6000	○	-	-	-
	75	4000	○	○	○	-	

ステンレス形鋼(フラットバー)

304フラットバー

FB (HOT・COLD・IL・#400)

サイズ	長さ	SUS304					
		HOT	COLD	HL	#400		
19	×	90	4000	○	-	-	-
		100	"	○	○	○	-
		100	5000	○	-	-	-
		100	6000	○	-	-	-
		125	4000	○	○	○	-
		150	"	○	○	○	-
		200	"	○	○	○	-
		250	"	○	○	○	-
	300	"	○	○	-	-	
20	×	20	"	○	○	○	○
		70	"	○	-	-	-
22	×	22	"	○	○	○	-
		25	"	○	-	-	-
		30	"	○	-	-	-
		32	"	○	○	-	-
		35	"	○	-	-	-
		38	"	○	○	-	-
		40	"	○	-	-	-
		45	"	○	-	-	-
		50	"	○	○	-	-
		65	"	○	○	-	-
		75	"	○	○	-	-
		90	"	○	-	-	-
		100	"	○	○	-	-
		125	"	○	-	-	-
		150	"	○	-	-	-
		200	"	○	-	-	-
	250	"	○	-	-	-	
	300	"	○	-	-	-	
25	×	25	"	○	○	○	○
		32	"	○	○	-	-
		38	"	○	○	-	-
		40	"	○	-	-	-
		45	"	○	-	-	-
		50	"	○	○	-	-
		60	"	○	-	-	-
		65	"	○	○	-	-
		75	"	○	○	-	-
		100	"	○	○	-	-
		125	"	○	○	-	-
		150	"	○	○	-	-
	200	"	○	○	-	-	
	250	"	○	-	-	-	
	300	"	○	-	-	-	
26	×	26	"	-	○	-	-
28	×	28	"	○	○	-	-
30	×	30	"	○	○	-	-
		50	"	○	○	-	-
		55	"	○	○	-	-
		65	"	○	○	-	-
		75	"	○	○	-	-
		100	"	○	○	-	-
		125	"	○	○	-	-
		150	"	○	-	-	-
		200	"	○	-	-	-
		250	"	○	-	-	-
	300	"	○	-	-	-	

サイズ	長さ	SUS304						
		HOT	COLD	HL	#400			
32	×	32	"	○	○	-	-	
35	×	50	4000	○	○	-	-	
		65	"	○	○	-	-	
		75	"	○	○	-	-	
		100	"	○	○	-	-	
		125	"	○	-	-	-	
		150	"	○	-	-	-	
36	×	36	"	○	○	-	-	
38	×	38	4000	○	○	-	-	
40	×	40	"	○	○	-	-	
	×	50	"	○	-	-	-	
		65	"	○	-	-	-	
		75	"	○	-	-	-	
		100	"	○	-	-	-	
		125	"	○	-	-	-	
	150	"	○	-	-	-		
42	×	42	"	○	-	-	-	
45	×	45	"	○	○	-	-	
50	×	50	"	○	○	-	-	
		65	"	○	-	-	-	
		75	"	○	-	-	-	
		100	"	○	-	-	-	
		125	"	○	-	-	-	
		150	"	○	-	-	-	
55	×	55	"	○	○	-	-	
60	×	60	"	○	○	-	-	
		75	"	○	-	-	-	
		100	"	○	-	-	-	
		125	"	○	-	-	-	
		150	"	○	-	-	-	
65	×	65	"	○	○	-	-	
		75	"	○	-	-	-	
		100	"	○	-	-	-	
70	×	70	"	○	-	-	-	
		100	"	○	-	-	-	
		125	"	○	-	-	-	
		150	"	○	-	-	-	
75	×	75	"	○	-	-	-	
	80	×	100	"	○	-	-	-
			125	"	○	-	-	-
		150	"	○	-	-	-	
90	×	90	"	○	-	-	-	
		100	"	○	-	-	-	
		125	"	○	-	-	-	
		150	"	○	-	-	-	
100	×	100	"	○	-	-	-	
		125	"	○	-	-	-	
		150	"	○	-	-	-	