

SUS 316L

継目無管

外径	厚さ	長さ
4.0	× 0.5	× 4000
5.0	× 0.5	× 4000
	× 1.0	× 4000
6.0	× 0.5	× 4000
	× 1.0	× 4000
	× 1.2	× 4000
	× 1.5	× 4000
6.35	× 0.89	× 4000
	× 1.0	× 4000
	× 1.25	× 4000
	× 1.5	× 4000
8.0	× 0.5	× 4000
	× 0.8	× 4000
	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 2000
9.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
9.53	× 0.89	× 4000
	× 1.0	× 4000
	× 1.25	× 4000
	× 1.5	× 4000
	× 1.65	× 4000
	× 2.0	× 4000
10.0	× 0.5	× 4000
	× 1.0	× 4000
	× 1.2	× 4000
	× 1.5	× 4000

外径	厚さ	長さ
10.0	× 1.7	× 4000
	× 2.0	× 4000
	× 2.5	× 4000
	× 3.0	× 4000
10.5	× 1.0	× 4000
	× 1.2	× 4000
	× 1.2	× 5500
	× 1.5	× 4000
	× 1.5	× 5500
	× 1.7	× 4000
	× 2.0	× 4000
12.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
	× 3.0	× 4000
12.7	× 0.89	× 4000
	× 1.0	× 4000
	× 1.2	× 4000
	× 1.25	× 4000
	× 1.5	× 4000
	× 1.65	× 4000
13.0	× 1.0	× 4000
	× 2.0	× 4000
13.8	× 1.2	× 4000
	× 1.65	× 4000
	× 1.65	× 5500
	× 2.0	× 4000
	× 2.0	× 5500
14.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
	× 3.0	× 4000
	× 3.0	× 4000
15.0	× 1.0	× 4000
	× 1.5	× 4000

外径	厚さ	長さ
15.0	× 2.0	× 4000
	× 3.0	× 4000
16.0	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
17.3	× 1.2	× 4000
	× 1.2	× 5500
	× 1.65	× 4000
18.0	× 1.65	× 5500
	× 2.0	× 4000
	× 2.0	× 5500
	× 2.3	× 4000
	× 2.3	× 5500
	× 3.2	× 4000
19.0	× 3.2	× 5500
	× 1.0	× 4000
	× 1.5	× 4000
20.0	× 2.0	× 4000
	× 1.0	× 4000
	× 1.5	× 4000
	× 2.0	× 4000
21.7	× 1.65	× 4000
	× 1.65	× 5500
	× 2.1	× 4000
	× 2.1	× 5500
	× 2.5	× 4000
	× 2.5	× 5500
	× 2.8	× 4000
	× 2.8	× 5500
	× 2.8	× 6000
22.0	× 3.7	× 4000
	× 3.7	× 5500
	× 4.7	× 4000
	× 4.7	× 5500

外径		厚さ		長さ
22.0	×	2.0	×	4000
23.0	×	1.0	×	4000
25.0	×	1.0	×	4000
		1.5	×	4000
		2.0	×	4000
25.4	×	2.0	×	4000
27.2	×	1.65	×	4000
		1.65	×	5500
		2.1	×	4000
		2.1	×	5500
		2.1	×	6000
		2.5	×	4000
		2.5	×	5500
		2.9	×	4000
		2.9	×	5500
		3.9	×	4000
		3.9	×	5500
		5.5	×	4000
		5.5	×	5500
		30.0	×	1.0
1.5	×			4000
2.0	×			4000
3.0	×			4000
32.0	×	2.0	×	4000
		3.0	×	4000
34.0	×	1.65	×	4000
		1.65	×	5500
		2.0	×	4000
		2.8	×	4000
		2.8	×	5500
		3.0	×	4000
		3.0	×	5500
		3.0	×	6000
		3.4	×	4000
		3.4	×	5500
		4.5	×	4000
		4.5	×	5500
		6.4	×	4000
		6.4	×	5500
9.1	×	4000		
9.1	×	5500		
38.0	×	1.2	×	4000

外径		厚さ		長さ
38.0	×	1.5	×	4000
		2.0	×	4000
42.7	×	1.65	×	4000
		1.65	×	5500
		2.8	×	4000
		2.8	×	5500
		3.0	×	4000
		3.0	×	5500
		3.6	×	4000
		3.6	×	5500
		3.6	×	6000
		4.9	×	4000
48.6	×	1.65	×	4000
		2.8	×	4000
		2.8	×	5500
		3.0	×	4000
		3.0	×	5500
		3.7	×	4000
		3.7	×	5500
		5.1	×	4000
		5.1	×	5500
		7.1	×	4000
60.5	×	1.65	×	4000
		1.65	×	5500
		2.8	×	4000
		2.8	×	5500
		3.0	×	4000
		3.0	×	5500
		3.5	×	4000
		3.5	×	5500
		3.9	×	4000
		3.9	×	5500
63.5	×	5.5	×	4000
		5.5	×	5500
		8.7	×	4000
		8.7	×	5500
63.5	×	6.5	×	6000

外径		厚さ		長さ		
68.0	×	8.0	×	RL		
71.0	×	10.5	×	RL		
76.3	×	2.1	×	4000		
		3.0	×	4000		
		3.0	×	5500		
		3.5	×	4000		
		3.5	×	5500		
		4.0	×	4000		
		5.2	×	4000		
		5.2	×	5500		
		5.2	×	6000		
		7.0	×	4000		
		7.0	×	5500		
		7.0	×	6000		
		9.5	×	4000		
		9.5	×	5500		
89.1	×	15.0	×	4000		
		2.1	×	4000		
		3.0	×	4000		
		3.0	×	5500		
		3.0	×	6000		
		3.5	×	8000		
		4.0	×	4000		
		4.0	×	5500		
		5.5	×	4000		
		5.5	×	5500		
95.0	×	5.5	×	6000		
		7.6	×	4000		
		7.6	×	5500		
		7.6	×	6000		
		11.1	×	4000		
		11.1	×	5500		
		11.1	×	6000		
		15.2	×	5500		
		95.0	×	12.5	×	5500
		101.6	×	2.1	×	4000
3.0	×			4000		
3.0	×			5500		
4.0	×			4000		
4.0	×			5500		
5.7	×			4000		

